

Criteria for Hormone Therapy

Initiation of hormone therapy may be undertaken after a psychosocial assessment has been conducted and informed consent has been obtained by a qualified health professional, as outlined in section VII of the *SOC*. A referral is required from the mental health professional who performed the assessment, unless the assessment was done by a hormone provider who is also qualified in this area.

The criteria for hormone therapy are as follows:

1. Persistent, well-documented gender dysphoria;
2. Capacity to make a fully informed decision and to consent for treatment;
3. Age of majority in a given country (if younger, follow the *Standards of Care* outlined in section VI);
4. If significant medical or mental health concerns are present, they must be reasonably well-controlled.

As noted in section VII of the *SOC*, the presence of co-existing mental health concerns does not necessarily preclude access to feminizing/masculinizing hormones; rather, these concerns need to be managed prior to or concurrent with treatment of gender dysphoria.

In selected circumstances, it can be acceptable practice to provide hormones to patients who have not fulfilled these criteria. Examples include facilitating the provision of monitored therapy using hormones of known quality as an alternative to illicit or unsupervised hormone use or to patients who have already established themselves in their affirmed gender and who have a history of prior hormone use. It is unethical to deny availability or eligibility for hormone therapy solely on the basis of blood seropositivity for blood-borne infections such as HIV or hepatitis B or C.

In rare cases, hormone therapy may be contraindicated due to serious individual health conditions. Health professionals should assist these patients with accessing non-hormonal interventions for gender dysphoria. A qualified mental health professional familiar with the patient is an excellent resource in these circumstances.